


EXPLODED VIEWS MKH JIPA JUMP 2022


Device overview MKH	2
Device overview MKH pressure	3
Left leg MKH 101 – 251	4
Left leg MKH 101P – 151P	5
Left leg MKH 101 DS	6
Left leg MKH 101 DM – DL	7
Right leg MKH 101 – 251	8
Right leg MKH 101P – 151P Sensors	9
Right leg MKH 101 DM – DL	10
Right leg MKH 101 DS	11
Bottom of the pan MKH	12
Heating elements MKH from 2022	13
Heating elements MKH DS – DL from 2022	14
Heating elements MKH 101 DM from 2022	15
Drain MKH 101 – 251	16
Drain MKH 101 DS – DM – DL	17
Lid of the device MKH	18
Lid of the device MKH 101P – 151P	19
Control switchboard MKH 101 – 251	20
Control switchboard MKH 101P – 151P	21
Control switchboard MKH 101 DS	22
Control switchboard MKH 101 DM – DL	23

DEVICE OVERVIEW MKH




Position	Description
1	Left Leg
2	Pan
3	Adjustable Stand
4	Closable Plug for 230V and USB
5	Right Leg
6	290450 Switch HBGQ25 Power Button
7	8200XX Touch panel glass
8	Water Level Marking
9	Steam Release Hole
10	Upper Cover
11	290038 Core temperature probe
12	Removable Basket Arm
13	Water Supply
14	Minimal Oil Level
15	290188 Shower

DEVICE OVERVIEW MKH PRESSURE




Position	Description
1	793917_00 Pressure Relief Valve 760468_00 Protection cap for safety pressure valve
2	290758 Single action electro-actuator with ball valve 760469_00 Protection cap for depressurization valve
3	Operating Lever
4	Pan gasket
5	Locking Hook
6	Locking Bolt
7	Maximal filling pressure

LEFT LEG MKH 101 – 251




Position	Catalogue number	Description
1	290140	Flow meter RPE G3/4 1-15L/min
2	290220	Fitting 2 x female 3/4"
3	290219	Double solenoid valve
4	210109	Translucent silicone hose 10/16mm
5	290508	Translucent silicone hose L 650 mm set
6	793908_02	Hose reel for shower
7	290052	Shower hose
8	290188	Shower
9	290541	Gas spring 2000N - Except MKH 101
10	290528 290517	Linear drive pan LA33 thread MKH 101 Linear drive pan LA36 thread MKH 151/201/251
11	290144	Flex hose 3/4"x3/4" (nut, thread) 80cm elbow

LEFT LEG MKH 101P – 151P




Position	Catalogue number	Description
1	290144	Flexi hose 3/4" x 3/4" (nut, thread) 80 cm elbow
2	290140	Flow meter RPE G3/4 1-15L/min
3	290220	Fitting 2 x female 3/4"
4	290353	Triple solenoid valve
5	290150	Inductive sensor pressure IFT203
6	793943_00	Steam hose to condenser
7	290508	Pressure hose shower inlet L 650 mm set
8	290052	Shower hose
9	793908_02	Hose reel for shower
10	290188	Shower
11	290541	Gas spring 2000 N - except MKH 101P
12	290528 290517	Linear drive LA33 thread MKH 101P Linear drive LA36 thread MKH 151P
13	210109	Translucent silicone hose 10/16mm,

LEFT LEG MKH 101 DS




Position	Catalogue number	Description
1	211530	Microswitch
2	290034	Gas spring with end damping
3	793925_00	Hose reel for shower DS
4	290084	Linear drive baskets
5	290140	Flow meter RPE G3/4 1-15 L/min
6	290370	Inductive sensor IME08-04NPSZTOS
7	290353	Triple solenoid valve
8	290684	Linear drive LA25 (1500 N)
9	290188	Shower
10	290144	Flexi hose 3/4''x3/4'' (nut, thread) 80 cm elbow
11	290508	Pressure hose shower inlet L 650 mm set
12	210109	Silicone hose 10/16 mm, transparent
13	210109	Silicone hose 10/16 mm, transparent
14	290052	Hose for shower

LEFT LEG MKH 101 DL – DM




Position	Catalogue number	Description
1	211530	Microswitch
2	290034	Gas spring with end damping
3	290140	Flowmeter RPE G3/4 1-15L/min
4	290220	Fitting 2 x female 3/4"
5	290353	Triple solenoid valve
6	210109	Translucent silicone hose 10/16 mm
7	290508	Pressure hose shower inlet L 650 mm set
8	793908_02	Hose reel for shower
9	290052	Shower hose
10	290188	Shower
11	290629	Linear drive lid LA35 with thread
12	290144	Flexi hose 3/4''x3/4'' (nut, thread) 80 cm elbow

RIGHT LEG MKH 101 – 251




Position	Catalogue number	Description
1	290629	Linear drive lid LA35 thread
2	290084 290684	Linear drive baskets LA14 Linear drive LA25 only MKH 151/151F/151P
3	290370	Inductive sensor IME08-04NPSZTOS
4	290311	Spring
5	290671	Solid-state contactor single-phase 50A
6	290224	Contactor 25A/11kW/400V
7	290688 290236 290234	Circuit breaker B/20A, 3-pole MKH 101 Circuit breaker B/32A, 3-pole MKH 151 Circuit breaker B/40A, 3-pole MKH 201/251

RIGHT LEG MKH 101P – 151P SENSORS




Position	Catalogue number	Description
1	290259	Thermocouple 2150 mm
2	290670	Level probe LFC

RIGHT LEG MKH 101 DM – DL




Position	Catalogue number	Description
1	290311	Spring
2	290370	Inductive sensor IME08-04NPSZTOS
3	211530	Microswitch
4	290084	Linear drive baskets LA14
5	290034	Gas spring with end damping
6	290629	Linear drive lid LA35 with thread
7	290671	Solid-state contactor single-phase 50 A
8	290224	Contactors 25 A/11kW/400 V
9	290688	Circuit breaker B/20 A, 3-pole DM
	290467	Circuit breaker B/25 A, 3-pole DL

RIGHT LEG MKH 101 DS




Position	Catalogue number	Description
1	290663	KF1 PLC CP-2005
2	290078	KF1.1 Modul IB 1301
3	290079	KF1.2 Modul op. system OS 1401
4	290080	KF1.3/1.4 IT-1605 differential module, thermocouple
5	290096	Power supply DRC 24V
6	290671	Solid-state contactor single-phase 50A
7	290645	Circuit breaker B10/1
8	290644	Combined MCB/RCD (RCBO) 1+N, B16A, 30mA
9	290233	Impulse relay
10	290223	Contactor 12A/5,5kW/400V / 24 VDC
11	290407	Top fuse terminal DIN
12	290224	Contactor 25A/11kW/400V / 24 VDC
13	290688	Circuit breaker B/20A, 3-pole
14		Terminals for SICOTRONIC

BOTTOM OF THE PAN MKH




Position	Catalogue number	Description
1	Group	Thick film heating elements MKH from 2022
2	290310	Ceramic Terminal Block 6 Way
3	290259 290187 770238_00	Thermocouple 2150 mm Spring for thermocouple Thermowell 53 mm M10x1,5
4	290259 290187 770238_00	Thermocouple 2150 mm Spring for thermocouple Thermowell 53 mm M10x1,5
5	Group	Drain MKH from 07/2020
6	290042 290043	Clamp Clamp gasket DN40 silicone
7	290485	Thermostat Jumo 350 °C

HEATING ELEMENTS MKH FROM 2022




Position	Catalogue number	Description
1	290747	Thick film heating element 1575 W/230 V MKH101-2x; MKH151-4x; MKH201-4x
2	290746	Thick film heating element 1710 W/230 V MKH101-12x; MKH151-18x; MKH201-26x
3	290748	Thick film heating element 1485 W/230 V MKH101-1x; MKH151-1x; MKH201-1x
4	290749	Thick film heating element 1485 W/230 V MKH101-1x; MKH151-1x; MKH201-1x

HEATING ELEMENTS MKH 101 DS – DL FROM 2022




Position	Catalogue number	Description
1	290746	Thick film heating element 1710 W/230 V MKH DS - 6x; MKH DL – 10x
2	290748	Thick film heating element 1485 W/230 V left
3	290749	Thick film heating element 1485W/230V right

HEATING ELEMENTS MKH 101 DM FROM 2022




Position	Catalogue number	Description
1	290746	Thick film heating element 1710 W/230 V
2	290750	Thick film heating element 1400 W/230 V

DRAIN MKH 101 – 251




Position	Catalogue number	Description
1	770075_01	Drain plug large
2	290666	Drain plug gasket 51/35,5mm
3	211370	O-Ring 14x3 NBR70
4	290425	Electric motor 24V DC for drain plug
5	211530	Microswitch

DRAIN MKH 101 DS – DM – DL




Position	Catalogue number	Description
1	770090_01	Drain plug small
2	290665	Drain plug gasket 42/25,5mm
3	211370	O-Ring 14x3 NBR70
4	290425	Electric motor 24V DC for drain plug
5	211530	Microswitch

LID OF THE DEVICE MKH




Position	Catalogue number	Description
1	770000_00	Steam exhaust pipe part 1
	770001_00	Steam exhaust pipe part 2
	770002_00	Steam exhaust pipe part 3
2	290038	Core temperature probe
3	770012_01	Cable gland f. core probe
	770013_01	Reducer cable gland f.core probe

LID OF THE DEVICE MKH 101P – 151P




Position	Catalogue number	Description
1	211362	Spring 0,8x12x37
2	290370	Inductive sensor IME08-04NPSZTOS
3	290370	Inductive sensor IME08-04NPSZTOS
4	211363	Spring 1,6x17,6x62
5	290758	Depressurization valve Single action electro actuator with ball valve
6	793944_00	Steam hose depressurization valve
7	793917_00	Pressure relief valve

CONTROL SWITCHBOARD MKH 101 – 251




Position	Catalogue number	Description
1	290484	Piezo-Buzzer 100dB
2	290663	KF1 PLC CP-2005
3	290078	KF1.1 module IB 1301
4	290079	KF1.2 module op. system 1401
5	290080	KF1.3 IT-1605 Differential Module, Thermocouple
6	290181	Comparative Thermocouple
7	290096	Power Supply DRC 24V
8	290644	LS-FI-Switch 1+N, B 16A, 30mA, Type A
9	290284	Relay PT 2P/12A, 24VDC
10	290645	Miniature Circuit Breaker B10/1
11	290233	Impulse Relay
12	290223	Contactor 12A/5,5kW/400V
13	290407	4 x Top fuse terminal DIN
14	290051	Switched-Mode Power Supply

CONTROL SWITCHBOARD MKH 101P – 151P




Position	Catalogue number	Description
1	290484	Piezo-Buzzer 100dB
2	290663	KF1 PLC CP-2005
3	290078	KF1.1 module IB 1301
4	290079	KF1.2 module op. system 1401
5	290080	KF1.3 IT-1605 Differential Module, Thermocouple
6	290181	Comparative thermocouple
7	290080	KF1.4 IT-1605 Differential Module, Thermocouple
8	290251	Converter
9	290096	Power Supply DRC 24V
10	290644	LS-FI-Switch 1+N, B 16A, 30mA, Type A
11	290645	Miniature Circuit Breaker B10/1
12	290233	Impulse Relay
13	290223	Contactor 12A/5,5kW/400V
14	290407	4 x Top fuse terminal DIN
15	290051	Switched-Mode Power Supply

CONTROL SWITCHBOARD MKH 101 DS



Position	Catalogue number	Description
1	290663	KF1 PLC CP-2005
2	290078	KF1.1 Module IB 1301
3	290079	KF 1.2 Module op. system 1401
4	290080	KF1.3/4 IT-1605 Differential module, Thermocouple
5	290181	Comparative Thermocouple
6	290096	Power Supply DRC 24V
7	290671	Single-Phase solid-state contactor 50A
8	290644	LS-FI-Switch 1+N, B 16A, 30mA, Typ A
9	290645	Circuit Breaker B10/1
10	290233	Impulse Relay
11	290223	Contactors 12A/5,5kW/400V
12	290407	4 x Top fuse terminal DIN
13	290224	Contactors 25A/11kW/400V
14	290688	2 x Circuit Breaker B20/3

CONTROL SWITCHBOARD MKH 101 DM – DL



Position	Catalogue number	Description
1	290484	Piezo-Buzzer 100dB
2	290663	KF1 PLC CP-2005
3	290078	KF1.1 Module IB 1301
4	290079	KF1.2 Module op. system 1401
5	290080	KF1.3 IT-1605 Differential Module, Thermocouple
6	290181	Comparative thermocouple
7	290080	KF1.4 IT-1605 Differential Module, Thermocouple
8	290096	Power Supply DRC 24V
9	290644	LS-FI-Switch 1+N, B 16A, 30mA, Type A
10	290284	Relay PT 2P/12A, 24VDC
11	290645	Miniature Circuit Breaker B10/1
12	290233	Impulse Relay
13	290223	Contactor 12A/5,5kW/400V
14	290407	4 x Top fuse terminal DIN
15	290051	Switched-Mode Power Supply

JIPA Artikelnummern / Part Number	Convotherm Artikelnummer / Part Number	Description Englisch	Beschreibung Deutsch
Z-JI-211530	3533369	Microswitch	Mikroschalter
Z-JI-290038	3533370	Core temperature probe	Kerntemperaturfühler
Z-JI-290043	3533371	Clamp gasket DN40 silicone	Klemmdichtung DN40 Silikon
Z-JI-290051	3533372	Switching power supply	Schaltnetzteil
Z-JI-290052	3533373	Shower hose	Handbraußenschlauch
Z-JI-290078	3533374	Modul IB 1301	Bussystem Modul IB 1301
Z-JI-290079	3533375	Modul op. system 1401	Bussystem Modul op. System 1401
Z-JI-290080	3533376	IT-1605 Differential module, thermocouple	Bussystem IT-1605 Differenzmodul, Thermoelement Modul
Z-JI-290096	3533377	Power supply DRC 24V	Netzteil DRC 24V
Z-JI-290140	3533378	Flow meter RPE G3/4 1-15L/min	Durchflussmesser RPE G3/4 1-15L/min
Z-JI-290150	3533379	Inductive sensor pressure IFT203	Induktiver Drucksensor IFT203
Z-JI-290181	3533380	Comparative Thermocouple	Vergleichsthermoelement
Z-JI-290188	3533381	Shower	Handbrauße
Z-JI-290219	3533382	Double solenoid valve	Doppeltes Magnetventil
Z-JI-290233	3533383	Impulse relay	Impulsrelais
Z-JI-290259	3533384	Thermocouple 2150 mm	Thermoelement 2150mm
Z-JI-290263	3533385	Thermocouple sauce 2150 mm	Thermoelement Flachkopf 2150mm
Z-JI-290353	3533386	Triple Solenoid Valve	Dreifach Magnetventil
Z-JI-290355	3533387	Outlet reducer 1,9-3,5 black	Auslassreduzierer 1,9-3,5 schwarz
Z-JI-290356	3533388	Outlet reducer 4,9-5,7 blue	Auslassreduzierer 4,9-5,7 blau
Z-JI-290357	3533389	Outlet reducer 7-10 orange	Auslassreduzierer 7-10 orange
Z-JI-290370	3533390	Inductive sensor IME08- 04NPSZTOS	Induktiver Sensor IME08-04NPSZTOS
Z-JI-290425	3533391	Electric motor 24V DC for drain plug	Elektromotor 24V DC für Ablassschraube
Z-JI-290450	3533392	Switch HBGQ25	Schalter HBGQ25
Z-JI-290484	3533393	Piezo buzzer 100dB	Piezo-Summer 100dB
Z-JI-290485	3533394	Thermostat Jumo 350°C	Thermostat-Summ Jumo 350°C
Z-JI-290644	3533395	COMBINED MCB/RCD (RCBO) 1+N, B 16A, 30mA	Kombinierter MCB/RCD (RCBO) 1+N, B 16A, 30mA
Z-JI-290665	3533396	Drain plug gasket 42/25,5mm	Ablassschraubendichtung 42/25,5mm
Z-JI-290666	3533397	Drain plug gasket 51/35,5mm	Ablassschraubendichtung 51/35,5mm
Z-JI-290671	3533398	Solid-state contactor single- phase 50A	Halbleiterschütz einphasig 50A
Z-JI-290746	3533399	Thick film heating element 1710W/230V	Dickschichtheizelement 1710W/230V

Z-JI-290747	3533400	Thick film heating element 1575W/230V	Dickschichtheizelement 1575W/230V
Z-JI-290748	3533401	Thick film heating element 1485W/230V	Dickschichtheizelement 1485W/230V
Z-JI-290749	3533402	Thick film heating element 1485W/230V	Dickschichtheizelement 1485W/230V
Z-JI-290750	3533403	Thick film heating element 1400W/230V	Dickschichtheizelement 1400W/230V
Z-JI-793908_02	3533404	Hose reel for shower	Schlauchtrommel für Handbrauße
Z-JI-793925_00	3533405	Hose reel for shower DS	Schlauchtrommel für Handbrauße DS
Z-JI-210109	3533406	Translucent silicone hose 10/16 mm	Transluzenter Silikonschlauch 10/16 mm
Z-JI-290034	3533407	Gas spring with end damping	Gasfeder mit Enddämpfung
Z-JI-290042	3533408	Clamp	Klemme
Z-JI-290075	3533409	CP 1093, CPU, ETH100/10	CP 1093, CPU, ETH100/10
Z-JI-290083	3533410	Linear drive drain 14020023	Linearantrieb Ablauf 14020023
Z-JI-290084	3533411	Linear drive baskets LA14	Linearantriebskörbe LA14
Z-JI-290144	3533412	Flexible hose DN13 Elbow Female G3/4 - Male G3/4 80 cm	Flexibler Schlauch DN13 Winkel Innengewinde G3/4 - Außengewinde G3/4 80 cm
Z-JI-290156	3533413	Socket head cap screw M5x12; 8,8; DIN 912/Fe black	Innensechskantschraube M5x12; 8.8; DIN 912/Fe schwarz
Z-JI-290223	3533414	Contactora 12A/5,5kW/400V	Schütz 12A/5.5kW/400V
Z-JI-290224	3533415	Contactora 25A/11kW/400V	Schütz 25A/11kW/400V
Z-JI-290234	3533416	Miniature circuit breaker, B/40A, 3-pole	Leitungsschutzschalter, B/40A, 3-polig
Z-JI-290236	3533417	Miniature circuit breaker, B/32A, 3-pole	Leitungsschutzschalter, B/32A, 3-polig
Z-JI-290251	3533418	Converter	Umrichter
Z-JI-290265	3533419	Contactora 32A/15kW/400V	Schütz 32A/15kW/400V
Z-JI-290278		Linear drive pan 362CA1S 1	Linearantriebsteller 362CA1S 1
Z-JI-290279	3533420	Flexible hose DN13 Elbow Female G3/4 - Female G3/4 100 cm	Flexibler Schlauch DN13 Winkel Innengewinde G3/4 - Innengewinde G3/4 100 cm
Z-JI-290281	3533421	Levelling element, fixed stem M8x51; stainless steel stem	Nivellierungselement, fester Stiel M8x51; Edelstahlstiel
Z-JI-290284	3533422	Relay PT 2P/12A, 24VDC	Relais PT 2P/12A, 24VDC
Z-JI-290304	3533423	Thick film heating element 2400W	Dickschichtheizelement 2400W
Z-JI-290305	3533424	Thick film heating element 1850W	Dickschichtheizelement 1850W
Z-JI-290310	3533425	Ceramic Terminal Block 6way	Keramische Anschlussklemme 6-fach
Z-JI-290314	3533426	Linear drive Baskets 151 251201	Linearantriebskörbe 151 251201
Z-JI-290346	3533427	Linear drive lid 3521D2	Linearantriebdeckel 3521D2
Z-JI-290350	3533428	Level probe	Füllstandssonde
Z-JI-290368	3533429	Inductive sensor pressure IMB12	Induktiver Drucksensor IMB12
Z-JI-290376	3533430	Pan gasket 4/1	Pfannendichtung 4/1
Z-JI-290385	3533431	Single function module Delay ON	Einzelfunktionsmodul Verzögerung EIN
Z-JI-290386	3533432	Relay 3 C/O 24VDC 10A	Relais 3 C/O 24VDC 10A
Z-JI-290389	3533433	Self-Adhesive Control Panel MKH	Selbstklebendes Bedienfeld MKH

Z-JI-290428	3533434	Gas spring 650N	Gasfeder 650N
Z-JI-290436	3533435	Pan gasket 1/1	Pfannendichtung 1/1
Z-JI-290440	3533436	Pan gasket 2/1	Pfannendichtung 2/1
Z-JI-290441	3533437	Pan gasket 3/1	Pfannendichtung 3/1
Z-JI-290444	3533438	Contactora LA30323 24V	Schütz LA30323 24V
Z-JI-290453	3533439	Gas spring 1000N	Gasfeder 1000N
Z-JI-290499	3533440	Adapter cable USB	Adapterkabel USB
Z-JI-290508	3533441	Pressure hose for shower inlet L 650 mm set	Druckschlauch für Duschseinlass L 650 mm Set
Z-JI-290512	3533442	Stainless steel ball A2 Ø12	Edelstahlkugel A2 Ø12
Z-JI-290517	3533443	Linear drive pan LA36 with thread	Linearantriebsteller LA36 mit Gewinde
Z-JI-290528	3533444	Linear drive LA33	Linearantrieb LA33
Z-JI-290541	3533445	Gas spring 2000N	Gasfeder 2000N
Z-JI-290615	3533446	Single spring cotter pin A2	Einzelne Federsteckstifte A2
Z-JI-290617	3533447	Socket head cap screw M6x10; 8,8; DIN 912/Fe black	Innensechskantschraube M6x10; 8.8; DIN 912/Fe schwarz
Z-JI-290618	3533448	Square Section Spring Washers 6,1; BP; DIN 7980/FE	Vierkant-Federscheiben 6.1; BP; DIN 7980/FE
Z-JI-290629	3533449	Linear drive lid LA35 with thread	Linearantriebsdeckel LA35 mit Gewinde
Z-JI-290634	3533450	O-Ring 32x3 NBR70	O-Ring 32x3 NBR70
Z-JI-290642	3533451	Linear drive drain 14020023 with thread	Linearantrieb Ablauf 14020023 mit Gewinde
Z-JI-290645	3533452	Miniature circuit breaker B/10A, 1-pole	Leitungsschutzschalter B/10A, 1-polig
Z-JI-290663	3533453	PLC CP-2005 1	SPS CP-2005 1
Z-JI-290670	3533454	Level probe LFC	Füllstandssonde LFC
Z-JI-290682	3533455	Handle M.643/180	Griff M.643/180
Z-JI-290684	3533456	Linear drive LA25 (1500N)	Linearantrieb LA25 (1500N)
Z-JI-290686	3533457	Self-Adhesive Control Panel MKH 101DS	Selbstklebendes Bedienfeld MKH 101DS
Z-JI-290688	3533458	Miniature circuit breaker, B/20A, 3-pole	Leitungsschutzschalter, B/20A, 3-polig
Z-JI-290694	3533459	Operator panel ID-36 from 2020 1	Bedienfeld ID-36 ab 2020 1
Z-JI-290697	3533460	Control cable Linear drive LA33/LA35/LA36	Steuerkabel Linearantrieb LA33/LA35/LA36
Z-JI-290707	3533461	Pan gasket 101DS	Pfannendichtung 101DS
Z-JI-290716	3533462	Pan gasket 2/1 2022	Pfannendichtung 2/1 2022
Z-JI-290717	3533463	Pan gasket 3/1 2022	Pfannendichtung 3/1 2022
Z-JI-290725	3533464	Hose clamp 036-0390/20 HSC W4	Schlauchschelle 036-0390/20 HSC W4
Z-JI-290730	3533465	Pan gasket 101DM	Pfannendichtung 101DM
Z-JI-290732	3533466	Pan gasket 4/1 2022	Pfannendichtung 4/1 2022
Z-JI-290751	3533467	O-Ring 24x4,5 NBR70	O-Ring 24x4.5 NBR70
Z-JI-290758	3533468	Single action electro-actuator with ball valve	Einfachwirkender Elektroantrieb mit Kugelhahn
Z-JI-290760	3533469	Hose clamp 25-40/9 mm; Stainless steel	Schlauchschelle 25-40/9 mm; Edelstahl

Z-JI-290762	3533470	Pan gasket 101DL	Pfannendichtung 101DL
Z-JI-760468_00	3533471	Protection cap for safety pressure valve	Schutzkappe für Sicherheitsdruckventil
Z-JI-760469_00	3533472	Protection cap for depressurization valve	Schutzkappe für Druckentlastungsventil
Z-JI-770012_01	3533473	Cable gland f. core probe	Kabelverschraubung für Kerntemperaturfühler
Z-JI-770013_01	3533474	Reducer cable gland f. core probe	Reduzier-Kabelverschraubung für Kerntemperaturfühler
Z-JI-770019_00	3533475	Clevis pin dia.8	Bolzen Ø8
Z-JI-770020_00	3533476	Clevis pin dia.12	Bolzen Ø12
Z-JI-770021_00	3533477	Clevis pin dia.12,5	Bolzen Ø12.5
Z-JI-770022_00	3533478	Clevis pin dia.10	Bolzen Ø10
Z-JI-770075_01	3533479	Drain plug large	Ablassstopfen groß
Z-JI-770090_01	3533480	Drain plug small	Ablassstopfen klein
Z-JI-770238_00	3533481	Thermowell 53 mm M10x1,5	Thermometerhülse 53 mm M10x1.5
Z-JI-770348_00	3533482	Fitting for depressurization valve	Anschlussstück für Druckentlastungsventil
Z-JI-793943_00	3533483	Steam hose to condenser	Dampfschlauch zum Kondensator
Z-JI-793944_00	3533484	Steam hose depressurization valve	Dampfschlauch Druckentlastungsventil
Z-JI-820000	3533485	Touch-Panel Glas CONVOTHERM f flexx pro	Touch-Panel Glass CONVOTHERM f flexx pro
Z-JI-820082	3533486	Solid-state contactor 3x1F 50A (Set substitute 290059)	Halbleiterschütz 3x1F 50A (Ersatz-Set 290059)
Z-JI-820083	3533487	Solid-state contactor 3x1F 50A (Set substitute 290058)	Halbleiterschütz 3x1F 50A (Ersatz-Set 290058)
Z-JI-820084	3533488	Solid-state contactor 3x1F 50A (Set substitute 290378)	Halbleiterschütz 3x1F 50A (Ersatz-Set 290378)